

Azarakhsh Company

Qom Azarakhsh Refractory Manufacturer Group

Qom Azarakhsh Refractory Brick manufacturing industrial Co.(jps)

Qom Azarakhsh Refractory Products Co.(jps)

The greatest manufacturer of brick facade & fireplace refractory products in the country



WWW.AZARAKHSH.CO.COM
E-mail: info@Azarakhsh-co.com

With ISO 9001 & 2000 Certificates of Premier & MIC England

















Main Office: 1st fl. No.707, 19 dey avenue,
Qom - IRAN . Tel: +98 251 7754190 - 7754180
Fax: +98 251 770 20 15 city , Qom
P.O. Box : 37185-4417

Factory B: Zagros Avenue, Mahmood abad
Industrial city . Qom - IRAN
Tel: +98 251 334 30 31- 3. Fax: +98 251 334 20 56

Factory B: Zagros Avenue, Mahmood abad
Industrial city . Qom - IRAN
Tel : +98 251 3353334-7 . Fax : +98 251 3353338



The artistic & historical works are the result of human endeavor in life .They show the civilization of many different society.Their recognition ,consideration & more important their protection is essential.So they are the precious artistic works of the world because they are not repeatable .Nowadays the refractory brick is applied to protect & maintain these especial works.One of its properties is resistance against friction , frequent freezing & functional in all circumstances. Azarakhsh refractory brick in addition to having the above properties ,it has diversity in color & texture, beauty ,expectional stability that makes it distinguished from the others.





100 - AR 34 100 / 100 / 50 mm



200 - AR 34 100 / 100 / 50 mm



200 - AR 4 200 / 100 / 25 mm



200 - AR 2 200 / 100 / 25 mm



100 - AR 35 100 / 100 / 50 mm



200 - AR 51 200 / 200 / 30 mm



280 - AR 19 280 / 70 / 27 mm



200 - AR 79 200 / 50 / 27 mm



230 - AST 102 230 / 50 / 50 mm



230 - AST 103 230 / 50 / 50 mm



230 - AST 101 230 / 50 / 50 mm



230 - AST 100 230 / 50 / 50 mm



200 - AR 6 200 / 100 / 25 mm



200 - AR 81 200 / 50 / 27 mm



230 - AST 104 230 / 50 / 50 mm



230 - AST 105 230 / 50 / 50 mm




260 - AP 33 260 / 55 / 27 mm



250 - AP 73 250 / 250 / 27 mm



330 - AP 36 330 / 70 / 27 mm



Some Properties of Refractory Brick

- Resistant to thermal changes-
- Resistant to freezing
- Installable with usual mortar or without any mortar in the floor
- Environment friendly because of not having lime & asbestos
- Durable color
- Resistant to heat , cold , moisture , the rays of the Sun, acidic rain
- Acoustic , thermal insulation & up to 1200 fireproof
- Different color options (classic , antique , modern)
- Applicable in all circumstances
- Solid sticking of brick & mortar

